

GEM®



2016 ACCESSORY CATALOG



GEM® PASSENGER VEHICLES

Transport people around campuses, facilities or neighborhoods in distinctive comfort. The GEM's spacious interior, intuitive ergonomics and open-air design make getting in and out easy. All forward-facing seats and quiet operation increase safety and promote connectivity and conversation among passengers.



S-Box - Page 26



Aluminum Wheels - Page 16

THE PERFECT VEHICLE FOR:

- Student and Guest Transportation
- Valet and Customer Service
- Neighborhoods
- Police and Security Control
- Site and Campus Tours
- Families



Doors - Pages 17-19



GEM® UTILITY VEHICLES

With 1,400 lbs. of payload, count on GEM® to get the job done efficiently, economically and sustainably—with zero emissions and lower operating costs than a gas-powered van or truck. Choose from hundreds of options and accessories to create the customized vehicle you need to maximize productivity, indoors or out.



Front & Side Tool Chests - Page 28



60 Gallon Boomless Utility Sprayer - Page 31

THE PERFECT VEHICLE FOR:

- Groundskeeping
- Facility Management
- Indoor Warehouse
- Housekeeping
- Hospitality
- Emergency Service



Boxside - Page 28



THE RIGHT SOLUTION

When it comes to moving people and cargo with ease and efficiency, the vehicle you choose matters. Make the smart choice with the all-new electric GEM®. Polaris® engineered for a premium ride and long-lasting durability, the new GEM® has more built-in comfort and street-legal safety features than a golf cart, and it's more maneuverable, cost-efficient and sustainable than a van or truck. It offers a more spacious interior with the same compact footprint and quiet, electric power for low-cost, low-maintenance operation.

Now with more versatile options, GEM® can be customized to your needs—so you can drive, shuttle, haul and work with confidence that you've chosen a vehicle built for what you do. Drive one today and discover why GEM® is **the smarter way to move.™**



GENUINE ENGINEERED ACCESSORIES

TABLE OF CONTENTS

POWER & CHARGING	8-10
GARAGE	11
CAB ACCESSORIES	12-15
WHEELS	16
ROOFS & DOORS	17-19
WINDSHIELDS & WINDOWS	20-21
BUMPERS & WINCHES	22-23
LIGHTS	24-25
PASSENGER CARRIERS	26-27
UTILITY CARRIERS	28-31



POWER & CHARGING



SOLAR

PART #: 2881506
FITMENT: e4

PART #: 2881507
FITMENT: e6, eL XD (with 2881663)

Extend your time between charges and battery life with a renewable source of energy - the sun!

The solar panel is lightweight, non-glass high efficiency Mono Crystalline Solar which is hail and impact resistant

Specifically designed and programmed to work with and match the Polaris® 48V battery set systems

Does not work with: Lithium Ion



BATTERY WATERING KITS

PART #: 2881635 - 12V
FITMENT: e2, e4

PART #: 2881636 - 6V
FITMENT: e6, eL XD

Filler works by replacing the battery's existing vent caps with valves that are interconnected with tubing, allowing the user to fill all cells of the battery from a single remote location

Each valve independently shuts off water flow to the cell when the proper electrolyte level is reached, allowing the batteries to be filled perfectly each time



BATTERY FILLER SYSTEM FOR GEM® eM™1400

PART #: 2880201
FITMENT: eM™1400, eM™1400 LSV

Filler works by replacing the battery's existing vent caps with valves that are interconnected with tubing, allowing the user to fill all cells of the battery from a single remote location

Each valve independently shuts off water flow to the cell when the proper electrolyte level is reached, allowing the batteries to be filled perfectly every time



FAST CHARGER

PART #: 4015434 - 3kW
FITMENT: e2, e4, e6, eL XD

Charge your GEM® up to 6X faster than the standard 120 volt on-board charger. Order quantity of 1 for up to 3X faster charge, and order quantity of 2 for up to 6X faster charge

Required, sold separately: Charger Mounting Kit (PN 2881853)

J1772 3kW/6kW CHARGER MOUNTING KIT

PART #: 2881853
FITMENT: e2, e4, e6, eL XD

This kit is required to install the fast charger options onto the vehicle



BATTERIES

MAKE	PART #	FITMENT	DESCRIPTION
12V AGM Battery	4015462	e2, e4, e6, eL XD	Maintenance free battery that never needs filling (leak-free, spill-proof)
6V AGM Battery	4015463	e2, e4, e6, eL XD	Extended range maintenance free battery that never needs filling (leak-free, spill-proof)
12V Battery for use with Li-Ion options	4014770	e2, e4, e6, eL XD	12V battery for use with Li-Ion battery system to drive BMC
8.9 kW Li-Ion Battery Pack - 44V	4015495	e2, e4, e6, eL XD	44V Li-Ion battery pack - part of 8.9 kW system providing extended range and longer life
12.4 kW Li-Ion Battery Pack - 30V	4015532	e2, e4, e6, eL XD	30V Li-Ion battery pack - part of 12.4 kW system providing extended range and longer life
12.4 kW Li-Ion Battery Pack - 15V	4015533	e2, e4, e6, eL XD	15V Li-Ion battery pack - part of 12.4 kW system providing extended range and longer life
Li-Ion Battery Upfit Kit	2881852	e2, e4, e6, eL XD	Kit to upfit GEM® battery system to Li-Ion package (same kit for upfit to 8.9 or 12.4 system)



RIDERX® DONGLE

PART #: 2879855
FITMENT: e2, e4, e6, eL XD

Gain insight into your vehicle's range performance and track maintenance

STATION CHARGERS

PART #: 2413421 - LCS-25P, 4.8 kW
FITMENT: e2, e4, e6, eL XD

PART #: 2413422 - HCS-40P, 7.7 kW
FITMENT: e2, e4, e6, eL XD

Hard wire a city infrastructure style charger at home or office



POWER & CHARGING


GARAGE

SMART POWER TO MOVE YOU

Whether you travel just a few miles or drive all day, Polaris® GEM® offers versatile battery and charging options to fit your range requirements and ensure your GEM® will always be ready to move when you need it.

CHOOSE THE BATTERY RIGHT FOR YOU

FLOODED ELECTROLYTE	STANDARD MAINTENANCE FREE	DISTANCE MAINTENANCE FREE	LITHIUM-ION 8.9 kWh	LITHIUM-ION 12.4 kWh
Value battery requires regular maintenance	Leak-free, spill-proof design never needs refilling	For increased distance, especially in hilly terrain	Lightweight and hard-working for maximum range and 2-3X more battery life	Maximum range for shuttle and other high-demand applications



● Range on all Polaris® electric vehicles will vary depending on temperature, grade, payload and driving style. Average range value includes testing at 25 mph with 332 lbs. of cargo and a stop/start every 1,000 feet on a flat grade.
■ NEV values attained via testing in accordance with NEV America requirements with continuous use on a horizontal grade.



COVERS

PART #: 2687218
FITMENT: e2

PART #: 2687219
FITMENT: e4

PART #: 2687220
FITMENT: e6

PART #: 2687221
FITMENT: eL XD

Protects your vehicle in short or long term storage
Water-resistant, washable, and designed not to scratch the finish of your vehicle
Features a cinch strap to ensure a tight fit

POLARIS POWER® PORTABLE GENERATORS



Polaris POWER® portable digital inverter generators are built for your outdoor needs and are tested to the same rigorous standards as every Polaris® product.



PARALLEL KIT - CETL APPROVED
Part # 3410281



1000 WATT INVERTER GENERATOR
Part # P13GDGANA

2000 WATT INVERTER GENERATOR
Part # P13GDGBNA

3000 WATT INVERTER GENERATOR
Part # P13GDGCNA



COVER - P1000
Part # 2686441

COVER - P2000
Part # 2686442

COVER - P3000
Part # 2686443




GENERATOR OIL - quart
Part # 2879383



CAB ACCESSORIES

Visit [GEMCAR.COM](https://www.gemcar.com)
or contact your local dealer for pricing.



CARPET FLOOR MATS

PART #: 2881866
FITMENT: e2, eL XD

PART #: 2881867
FITMENT: e4

PART #: 2881868
FITMENT: e6

Plush carpeting features GEM® logo
Protects your floor
Includes mounting hardware



RUBBER FLOOR MATS

PART #: 5415568 - Front
FITMENT: e2, e4, e6, eL XD

PART #: 5415569 - Rear
FITMENT: e4, e6

Protects your floors from scuff marks,
and provides added traction



STEREO

PART #: 2881864
FITMENT: e2, e4, e6, eL XD

Features large 6 inch speakers, AM/FM radio, CD player and
CD, CD-R, CD-RW capabilities and 3.55mm Front Panel
Auxiliary Input
Face plate is detachable for added security



HEATER

PART #: 2881865
FITMENT: e2, e4, e6, eL XD

Provides fan and heat source to raise cab temperatures
in electric vehicles
Easy installation, includes heater, fan, mounting hardware,
blower ducts and wiring

GRAY TWO TONE SEATS

PART #: 2686216-317
FITMENT: e2, e4, e6, eL XD

Enhance your GEM's style with two-toned seats

LH ELECTRONIC POWER STEERING - EPS

PART #: 2881862
FITMENT: e2, e4, e6, eL XD

Steer with less effort
Electronic

WINDSHIELD WASHER

PART #: 2881863
FITMENT: e2, e4, e6, eL XD

Keep your windshield free from obstruction





CAB ACCESSORIES

Visit [GEMCAR.COM](https://www.gemcar.com)
or contact your local dealer for pricing.



CAB FRAME

PART #: 2880203
FITMENT: eM1400

Heavy duty steel cab frame allows you to add many cab components, like a roof, doors or windshield to your vehicle



WIPER KIT

PART #: 2880884
FITMENT: eM1400, eM1400 LSV, M1400™

Clear rain and debris from your windshield with the flick of a switch.

Easy installation, includes all hardware, wiring and switches

Required, sold separately: Windshield Kit (PN 2880885) when used on GEM® eM™1400 LSV or eM™1400, Windshield Kit (PN 2879958) when used on Polaris® M1400™



REVERSE WARNING KIT

PART #: 2876228
FITMENT: eM1400, eM1400 LSV, M1400™

While in reverse, a beep will sound alerting those around you that you are backing up



DIFFERENTIAL LOCK

PART #: 2880914
FITMENT: M1400™

Easy to install, allows locking of rear differential for increased traction on slippery surfaces

Kit includes wiring and dash mounted selector switch



TURN SIGNAL KIT

PART #: 2880882
FITMENT: eM1400, M1400™

Includes front and rear turn signal lights, wiring and column mounted switch for operation



HORN KIT

PART #: 2875048
FITMENT: eM1400, eM1400 LSV, M1400™

Installs in the console area

Connects to the vehicle's battery power supply



SPEED KEY KIT

PART #: 2881000
FITMENT: M1400™

Yellow Speed Key governs vehicle speed to 10 or 15 mph maximum

Owner can control the top speed available to individual operators

Requires controller programming, available from any GEM® Dealer



SIDE MIRROR KIT

PART #: 2881001 - Driver
FITMENT: eM1400, eM1400 LSV, M1400™

PART #: 2881002 - Passenger
FITMENT: eM1400, eM1400 LSV, M1400™

Large mirror provides good visibility to the sides and rear of the vehicle

Easy installation

Required, sold separately: Cab Frame (PN 2880203) when used on GEM® eM™1400, Mounting Kit (PN 2879111) when used on any vehicle with Poly Doors



HEATER

PART #: 2880880
FITMENT: eM1400, eM1400 LSV

Provides fan and heat source to raise cab temperatures in electric vehicles

Easy installation, includes heater, fan, mounting hardware, blower ducts and wiring



UNDER SEAT STORAGE TUB

PART #: 2880202
FITMENT: eM1400, eM1400 LSV

Gain extra storage with this storage tub

Fits underneath the seat



WHEELS



ALUMINUM WHEELS - 14X165

PART #: 1522553
FITMENT: e2, e4, e6, eL XD

Add styling to your GEM® with an aluminum rim
Tires offer a smooth ride
Rated for on-road driving
Sold individually: order quantity of 4 for complete set



FENDER FLARES - eL XD

PART #: 2881673
FITMENT: eL XD

Help protect your vehicle's side panels

ROOFS & DOORS

Visit [GEMCAR.COM](https://www.gemcar.com)
or contact your local dealer for pricing.



BIMINI TOP

PART #: 2877852-067
FITMENT: eM1400, M1400

Provides shade and protection from the weather
Easy to attach and remove
Stores compactly
Required, sold separately: Cab Frame Kit (PN 2880203) for use with GEM® eM™1400



LOCK & RIDE® POLY ROOF

PART #: 2879109
FITMENT: eM1400, eM1400 LSV, M1400

Installs quickly and easily, without tools, using Lock & Ride® technology and provides a sealed fit
Provides outstanding overhead protection and shade to keep riders protected and comfortable
Lightweight, strong and durable polyethylene construction
Textured finish on polyethylene matches vehicle finish
Required, sold separately: Cab Frame Kit (PN 2880203) for use with GEM® eM™1400



LOCK & RIDE® POLY DOORS

PART #: 2879111
FITMENT: eM1400, eM1400 LSV, M1400

Provides protection and comfort
Windows can be opened, and pivoted as desired for airflow and exterior access
Strong, durable structural web injection-molded shell
Profile tubing and plastic design create sealed perimeter
Lightweight, strong and durable polyethylene construction
Textured finish on polyethylene matches vehicle finish
Door is backed with sound-absorbing insulation material
Required, sold separately: Cab Frame Kit (PN 2880203) for use on GEM® eM™1400



CANVAS DOORS

PART #: 2879351
FITMENT: eM1400, M1400

Installs easily and provides protection and comfort
Features reliable latches and ventilation through the PVC windows with a magnetic closure
Durable, heavy-duty 23-oz. canvas material
Mold-resistant and UV-stable
Heavy-duty powder-coated steel rod door frames
Premium-quality paddle latches
Required, sold separately: Cab Frame Kit (PN 2880203) for use on GEM® eM™1400





DOORS



FRONT FULL HARD DOOR

FITMENT: e2, e4, e6, eL XD	
COLOR	PART #
LH Black	2635825-666
LH Red	2635825-520
LH White	2635825-599
LH Blue	2635825-598
RH Black	2635826-666
RH Red	2635826-520
RH White	2635826-599
RH Blue	2635826-598




MIDDLE/REAR FULL HARD DOOR

FITMENT: e4, e6	
COLOR	PART #
LH Black	2635827-666
LH Red	2635827-520
LH White	2635827-599
LH Blue	2635827-598
RH Black	2635828-666
RH Red	2635828-520
RH White	2635828-599
RH Blue	2635828-598



HALF HARD DOOR

FITMENT: e2, e4, e6, eL XD	
COLOR	PART #
LH Black	2635867-666
LH Red	2635867-520
LH White	2635867-599
LH Blue	2635867-598
RH Black	2635868-666
RH Red	2635868-520
RH White	2635868-599
RH Blue	2635868-598



QUARTER HARD DOOR

FITMENT: e2, e4, e6, eL XD	
COLOR	PART #
LH Black	2635863-666
LH Red	2635863-520
LH White	2635863-599
LH Blue	2635863-598
RH Black	2635864-666
RH Red	2635864-520
RH White	2635864-599
RH Blue	2635864-598



SOFT CANVAS DOORS

PART #: 2881854 FITMENT: e2, eL XD
PART #: 2881855 FITMENT: e4
PART #: 2881856 FITMENT: e6

Features zip open and roll back for easy conversion from an enclosed cab to an open cab
Can be easily removed and re-assembled



REAR WINDOW

PART #: 5452161 FITMENT: e2, e4, e6, eL XD

Protect the interior from sun, wind and rain

Door Mounting Kits and Filler Kits required for all doors when ordered separately from vehicles. See local dealer for more information regarding these parts.





WINDSHIELDS & WINDOWS



CANVAS CAB POLY WINDSHIELD

PART #: 2879490
FITMENT: eM1400, M1400

Installs quickly and easily, without tools, using Lock & Ride® technology
Strong, durable polycarbonate construction
Provides the best impact, scratch and chip resistance
Full exterior gasket for sealed installation
Radiused design for automotive fit, improved acoustics
Required, sold separately: Cab Frame Kit (PN 2880203)



GLASS WINDSHIELD

PART #: 2880885
FITMENT: eM1400

Shatterproof, scratch-resistant, optical-grade laminate safety glass offers the best rider protection and visibility
Protects riders from wind, rain, vehicle spray and more
Required, sold separately: Cab Frame Kit (PN 2880203)



LOCK & RIDE® HARD COAT POLY WINDSHIELD

PART #: 2879108
FITMENT: eM1400, M1400

Installs quickly and easily, without tools, using Lock & Ride® technology
Strong, durable polycarbonate construction
Provides the best impact, scratch and chip resistance
Full exterior gasket for sealed installation
Radiused design for automotive fit, improved acoustics
Required, sold separately: Cab Frame Kit (PN 2880203)



POLY REAR PANEL

PART #: 2879950
FITMENT: eM1400, eM1400 LSV, M1400

Installs quickly and easily, without tools, using Lock & Ride® technology
Required, sold separately: Cab Frame Kit (PN 2880203) for use with GEM® eM™1400



GLASS LOCK & RIDE® WINDSHIELD

PART #: 2879741
FITMENT: M1400

Installs quickly and easily, without tools, using Lock & Ride® technology
Features minimal perimeter framework for low-profile and full visibility
Material: Laminate 6 mm automotive safety glass that is impact, shatter and scratch-resistant



LOCK & RIDE® HALF WINDSHIELD

PART #: 2878757
FITMENT: M1400

Durable, polycarbonate half windshield installs quickly and easily without tools
Lock & Ride® clamps lock onto the vehicle frame to hold the windshield securely in place
Provides a combination of protection and ventilation options
Open space above windshield promotes airflow into seating area



CANVAS ROOF & REAR PANEL

PART #: 2879350
FITMENT: eM1400, M1400

Easy to install or remove for lightweight overhead and rear protection as needed
PVC rear window provides reliable protection and visibility
Rear panel provides protection, prevents dust swirl
Required, sold separately: Cab Frame Kit (PN 2880203) for use with GEM® eM™1400





BUMPERS & WINCHES



FRONT RUGGED BUMPER

PART #: 2881627
FITMENT: e2, e4, e6, eL XD

The rugged bumper adds extra front protection for heavy-duty work applications
Powder-coated steel
Does not work with: Front Chrome Bumper



FRONT CHROME BUMPER

PART #: 2881629
FITMENT: e2, e4, e6, eL XD

Chrome finish
Protect your vehicle from scratches and dings
Does not work with: Front Rugged Bumper



REAR BUMPER

PART #: 2880879
FITMENT: eM1400, eM1400 LSV

Heavy steel construction provides protection for rear of vehicle



STEP NERF BARS

PART #: 2877703-458
FITMENT: eM1400, eM1400 LSV, M1400

Protect the vehicle from impacts with rocks, stumps and debris
Provide a step when a rider is climbing into or out of the vehicle
Rugged tubular construction ensures long-term durability and reliability



REAR RUGGED BUMPER

PART #: 2881628
FITMENT: e2, e4, e6

Powder coated steel
Protect your vehicle from scratches and dings
Integrate 1 1/4 inch hitch
Does not work with: Rear Chrome Bumper



REAR CHROME BUMPER

PART #: 2881630
FITMENT: e2, e4, e6

Chrome finish
Protect your vehicle from scratches and dings
Does not work with: Rear Rugged Bumper



POLARIS® PRO HD 4500 LB. WINCH

PART #: 2879280
FITMENT: M1400

4,500 lbs. (2041 kg) rated pull
1.5-hp permanent magnet motor
Auto-Stop Technology stops winch at end of pull/lift to prevent stress on driveline components, and prevents over lifting of plows and over-retrieving of rope on pulls
Near-silent free spool operation - 40% quieter
Polished, corrosion-resistant aluminum hawse fairlead
Corded remote control
50 feet of 6 mm premium, high-strength synthetic rope



POLARIS® 3500 LB. INTEGRATED WINCH

PART #: 2878784
FITMENT: eM1400, eM1400 LSV

3,500 lbs. rated pull
50 feet of 7/32 inch high-strength steel cable
Sealed motor and gear train to ensure reliable operation in extreme conditions
Includes: mini-rocker corded switch, roller fairlead, hook and strap and all mounting hardware and installation wiring



REAR RUGGED BUMPER

PART #: 2881683
FITMENT: eL XD

Powder coated steel
Protect your vehicle from scratches and dings





LIGHTS	PART #	FITMENT	DESCRIPTION
Amber Security Light Bar	2412057	eM1400 eM1400 LSV M1400	Easy to install light design by Code 3 Rotating light



Blue Security Light Bar	2412058	eM1400 eM1400 LSV M1401	Easy to install light design by Code 3 Rotating light
-------------------------	---------	-------------------------------	--



Red Security Light Bar	2412059	eM1400 eM1400 LSV M1402	Easy to install light design by Code 3 Rotating light
------------------------	---------	-------------------------------	--



Amber LED Light Bar	2412060	eM1400 eM1400 LSV M1405	Clear lens with amber colored LEDs Low profile for a stealth look Draws 50-75% less amps than a standard mechanical security light bar
---------------------	---------	-------------------------------	--




Blue LED Light Bar	2412061	eM1400 eM1400 LSV M1403	Clear lens with blue LEDs Low profile for a stealth look Draws 50-75% less amps than a standard mechanical security light bar
--------------------	---------	-------------------------------	---



Red LED Light Bar	2412062	eM1400 eM1400 LSV M1400	Clear lens with red LEDs Low profile for a stealth look Draws 50-75% less amps than a standard mechanical security light bar
-------------------	---------	-------------------------------	--



Blue/Red LED Light Bar	2412063	eM1400 eM1400 LSV M1406	Clear lens with blue/red LEDs Low profile for a stealth look Draws 50-75% less amps than a standard mechanical security light bar
------------------------	---------	-------------------------------	---



LIGHT BAR

PART #: 2881803
FITMENT: e2, e4, e6, eL XD

Great for industrial applications
Amber colored roof mounted bar light adds visibility for safer operation
Does not work with: Beacon Light



BEACON LIGHT

PART #: 2880912
FITMENT: eM1400, eM1400 LSV, M1400

Great for industrial applications
Amber colored roof mounted beacon light adds visibility to the vehicle for safer operation
All wiring and hardware is included
Required, sold separately: Poly Roof Kit (PN 2879109)



27" DUAL ROW LIGHT BAR

PART #: 2879858
FITMENT: eM1400, eM1400 LSV, M1400

Lights produce a total of 21,260 lumens of illumination
Side flood lenses provide a wide lighting periphery for optimized visibility
Required, sold separately: Wire Harness (PN 2879863), Cab Frame (PN 2880203) and Poly Roof Kit (PN 2879109)



LED HEADLIGHTS

PART #: 2413083
FITMENT: e2, e4, e6, eL XD

Provides brighter light for added safety



BEACON LIGHT

PART #: 2881802
FITMENT: e2, e4, e6, eL XD

Great for industrial applications
Amber colored roof mounted beacon light adds visibility for safer operation
Does not work with: Light Bar



12" LIGHT BAR

PART #: 2879500
FITMENT: eM1400, eM1400 LSV, M1400

9.5-watt LEDs produce 2,100 lumens of illumination with a low electrical draw
Required, sold separately: Wire Harness (PN 2879863)



PASSENGER CARRIERS



S-BED

PART #: 2881502
FITMENT: e2, e4, e6

Easily convert the back of your GEM® to carry more cargo
Payload capacity of 330 lbs. when installed
Measures 30.7" x 40"
Does not work with: Trunk Back and Linksbac



S-BED STAKE SIDES

PART #: 2881503
FITMENT: e2, e4, e6

Durable support for hauling and transporting larger, bulky loads
Easy to remove sides for oversized loads
Required, sold separately: S-Bed (PN 2881502)
Does not work with: Trunk Back and Linksbac



LINKSBAC

PART #: 2881634
FITMENT: e2, e4, e6

Carries two golf bags
Does not work with: S-Bed, S-Bed Stake Sides,
S-Bed Solid Sides, Trunkback, Rear Rugged Bumper
and Rear Chrome Bumper



TRUNK BACK

PART #: 2881504
FITMENT: e2, e4, e6

Lockable and removable design that is easy to install and remove
Perfect for groceries or other small cargo
Measures 33" x 16" x 15"
100 lb. carrying capacity
Does not work with: S-Bed, Stake Sides, Solid Sides
and Linksbac



S-BOX

PART #: 2881626
FITMENT: e2, e4, e6

Lockable, weather-tight, enclosed cargo carrier is perfect for
transporting food and cargo, supplies or tools
Features hinged supported door and high-quality lockable
door latch
Large, 25 cu ft storage capacity
Dimensions 18" x 18" x 48"
Required, sold separately: S-Bed (PN 2881502)
Does not work with: Trunk Back, S-Bed Stake Sides,
S-Bed Solid Sides and Linksbac



S-BED SOLID SIDES

PART #: 2881505
FITMENT: e2, e4, e6

Durable support for hauling and transporting larger, bulky loads
Easy to remove sides for oversized loads
Solid sides help eliminate cargo from falling out
Required, sold separately: S-Bed (PN 2881502) and
S-Bed Stake Sides (PN 2881503)
Does not work with: Trunk Back and Linksbac



S-BED TIE DOWNS

PART #: 2881781
FITMENT: e2, e4, e6

Help secure your cargo with these easy to install tie downs
Required, sold separately: S-Bed (PN 2881502)
Does not work with: Trunk Back and Linksbac





UTILITY CARRIERS



FRONT TOOL CHEST

PART #: 2881632
FITMENT: eL XD

Keep tools and equipment in a convenient location
Lockable for added security
Measures 47.25" x 20" x 19.5" and has a 200 lb. carrying capacity
Does not work with: Front Panel



SIDE TOOL CHEST

PART #: 2881633
FITMENT: eL XD

Fits the length of the flat bed and allows an open space in between for items that won't fit inside the boxes
Lockable for added security
Does not work with: Boxside and L-Box



FRONT PANEL

PART #: 2881778
FITMENT: eL XD

Used with solid sides without Front Tool Chest
Durable support for hauling and transporting larger, bulky loads
Protects cabin from loads in box
Required, sold separately: Boxsides (PN 2881777)
Does not work with: L-Box and Side Tool Chest



STAKEBACK

PART #: 2881682
FITMENT: eL XD

Durable support for hauling and transporting larger, bulky loads
Easy to remove sides for oversized loads



BOXSIDE

PART #: 2881777
FITMENT: eL XD


Durable support for hauling and transporting larger, bulky loads
Easy to remove sides for oversized loads
Solid sides help eliminate cargo from falling out
Hinged for easy access
Required, sold separately: Front Panel (PN 2881778), or Front Toolbox (PN 2881632) with Boxside Toolbox Adapter (PN 2881780) for mounting
Does not work with: L-Box



LADDER RACK

PART #: 2881663
FITMENT: eL XD

Ideal for transporting long items such as ladders, pipe, lumber or other building and maintenance supplies
Rated for up to 75 lbs. of cargo
Can be installed with Bed Sides or Toolboxes
Does not work with: L-Box



eL XD BED TIE DOWNS

PART #: 2881722
FITMENT: eL XD

Help secure your cargo with these easy to install stainless tie down brackets



RECESSED BED COVER

PART #: 2881681
FITMENT: eL XD

These panels create a flat bed on the eL XD for hauling



L-BOX

PART #: 2881631
FITMENT: eL XD

Features a 44 inch cab high canopy box, lined rear door and a full length side door for easy access to cargo
Only works with a recessed bed
Does not work with: Boxside, Ladder Rack, Front Tool Chest, Side Tool Chest and Front Panel

BOXSIDE TOOLBOX ADAPTER

PART #: 2881780
FITMENT: eL XD

Used to adapt the front toolbox to mount solid sides



UTILITY CARRIERS



HINGED TAILGATE

PART #: 2881869
FITMENT: eL XD

Hinged tailgate drops down for easy loading/unloading of cargo



RAMPED TAILGATE

PART #: 2881870
FITMENT: eL XD

Roll heavy cargo on and off your GEM®



LOCK & RIDE® CHAINSAW MOUNT

PART #: 2879354
FITMENT: eM1400, eM1400 LSV, M1400

Installs quickly and easily, without tools, using Lock & Ride® technology
Can be secured to the outside of the bed wall, so your chainsaw is within reach at all times allowing you to maximize the bed space for other cargo
Required, sold separately: Bed Sides (PN 2880070)



MANUAL BOX LIFT

PART #: 2880418
FITMENT: eM1400, eM1400 LSV

PART #: 2880999
FITMENT: M1400

Manual latch to release bed tilt and hydraulic shock to hold bed in dump position
All mounts are integrated into the chassis for easy installation
Includes all hardware



ELECTRIC BOX LIFT

PART #: 2880145
FITMENT: eM1400, eM1400 LSV

PART #: 2880948
FITMENT: M1400

Heavy-duty actuator raises/lowers cargo box
All mounts are integrated into the chassis for easy installation
Dump dirt, sand or mulch with the flip of a switch
Includes all hardware and a dash-mounted switch



REMOVABLE LOCK & WORK™ BED SIDES

PART #: 2880070
FITMENT: eM1400, eM1400 LSV, M1400

Contain your cargo with solid 12 inch tall sides and a removable rear panel.
Easily removed and installed using Lock & Work™ Technology



LOCK & WORK™ MAX BOX STANDARD DOOR

PART #: 2880144
FITMENT: eM1400, eM1400 LSV, M1400

Easily removed and installed using Lock & Work™ Technology
Fully enclosed storage box keeps cargo and gear secure and dry
Dimensions 54" x 42" x 42"
Cannot be used with: Poly Roof (PN 2579950)



LOCK & RIDE® CARGO BOX

PART #: 2879230
FITMENT: eM1400, eM1400 LSV, M1400

Keeps your tools safe and secure
Installs quickly and easily, without tools, using Lock & Ride® technology
Oversized hinged lid provides full, easy access to cargo
Durable Polyethylene Construction
Required, sold separately: Bed Sides (PN 2880070) or Box Sides (PN 2634373)



60 GALLON BOOMLESS UTILITY SPRAYER

PART #: 2879799
FITMENT: eM1400, eM1400 LSV, M1400

Features a 60-gallon corrosion-resistant polyethylene tank, 12-volt diaphragm pump, and a pressure gauge with adjustable spray pressure
Delivers fluids at a rate of up to 3.8 gpm with a 45 psi maximum
Deluxe pistol grip handgun with an adjustable nozzle and 25 foot hose
Spray gun horizontal throw is 35 feet, with a maximum vertical throw of 26 feet
Boomless nozzles can deliver across a full 30 foot spray coverage area
Material: Polyethylene tank
Required, sold separately: Bed Sides (PN 2880070)



Polaris® LSVs comply with the NHTSA Low Speed Vehicles rules and regulations and can be operated on many streets with posted speed limits of 35 mph or less. Check local laws regarding street use and vehicle equipment requirements. Drivers must be at least 16 years old with a valid driver's license. Driver and passengers should always wear seat belts. Where appropriate for work and riding conditions, helmets and eye protection should also be worn. Never engage in stunt driving, and avoid excessive speeds and sharp turns. Range on all Polaris® electric vehicles will vary depending on temperature, grade, payload, and driving style. All pricing, specifications, claims, and information contained in this brochure are based on information available at the time of publication. Polaris® assumes no responsibility for any inaccuracies, opinions, or omissions in those publications. All pricing, specifications, and descriptions are subject to change without notice, and Polaris® assumes no responsibility for changes in pricing or specifications. Unless otherwise noted, all trademarks are the property of Polaris Industries Inc.

©2016 Polaris Industries Inc.
Part No. 9930198

GEMcar.com | 1-855-RIDE-GEM



POLARIS®