

JOB 291: MINIMIZE MALL MADNESS.

(Shown Right) The Villager 8, an exclusive Club Car solution, is a real people-pleaser. With plenty of power to shuttle groups of 8 at a time, it lets you move large crowds quickly.



REFINED STYLING. PERFORMANCE.

If you've got a transport problem, Club Car has the solution, whether you need to move visitors across a campus, guests to their suites, customers through an apartment complex, or employees around a work site.

And our new lines of Villagers and Transporters are more powerful, reliable and versatile than ever.

We're so confident in the new vehicles that we've expanded the warranty. Villagers and Transporters are now covered by an industry-leading 4-year battery, 3-year/3,000-hour powertrain, 2-year bumper-to-bumper limited warranty.

And a network of more than 600 Authorized Club Car Dealers delivers easy access to parts and factory-trained mechanics.





DONT JUST BUY A TRANSPORT VEHICLE. BUY STATE OF THE STAT

Villagers and Transporters have long been renowned for delivering years of trouble-free service.

The new vehicles expand that tradition. They retain the rustproof aluminum frame and body, self-compensating rack-and-pinion steering, independent front suspension system and unparalleled reliability. But they also incorporate innovative new features and benefits that add even more value.

So you can upgrade your fleet, while staying with the Villager and Transporter lines you know and trust.

INDUSTRY-LEADING TO LIGHTEN YOUR LOAD.

Reduce Expensive "User Errors" with Efficient, Onboard Chargers. Electric Transporters now come standard with an industry-exclusive onboard high-frequency charger with cord retractor. With a voltage range of 85-265 volts, the chargers keep the vehicles in the field, where they belong. Vehicles:



Boost Performance with EFI Engines. Villager 6 and Villager 8 and Transporter gasoline models now feature a 14-hp, 404-cc, Subaru single-cylinder overhead cam engine with electronic fuel injection (EFI), hemispherical heads, a case-hardened steel timing chain, and a splash lubrication system that eliminates oil filters. The engines offer the following benefits over the former Villager and Transporter engines:

- · Boost fuel efficiency by as much as 50%.
- · Start right up, even in frigid weather.
- · Increase horsepower by 30%.
- Accelerate faster.
- · Reduce emissions.
- Improve reliability and longevity.
- · Automatically compensate for altitude.
- · Reduce maintenance costs.





MILES PER CHARGE

Electric Vehicles with the Power of Gasoline Engines.


As the world's largest manufacturer of small four-wheel electric vehicles, Club Car is continuously making electric vehicles tougher, more powerful and smarter.

The new electric Villagers and Transporters are powered by our next generation IQ Plus™ electric system. The system features regenerative braking and delivers 500 amps of power, 20 peak hp, and best-in-class range, hill-climbing ability and speed. So they can perform tasks that once required a gasoline or diesel engine. You can expect:

- Up to 45 miles between charges, enough for a hard eight hour day.
- Zero emissions, which is great for environment and public relations.
- It will only cost pennies per day to charge, saving fuel and operating costs.

Experience Fit-to-Task Versatility and Unrivaled Ergonomics. While Villagers retain their elegant and timeless style, the new Transporters feature sturdier cowls and bumpers, doors and windshields that sit flush with the frame, and head lights and tail lights built right into the styling. They are engineered with:

- A (Not Shown) An automotive-style dash and ignition key with oversized dash pockets for storage, standard 12-volt powerport, and soft-grip steering wheel.
- B Cockpit-like interior, more space between the driver and steering wheel, and contoured seating with high back bench seats.
- C A rugged aluminum bed box featuring a Rhino™ lined floor for durability.
- D A configurable, removable track-based attachment system for carrying tools and equipment.
- **E** Optional adjustable bed dividers and tie-downs that stabilize cargo.
- F A latch-and-release tailgate that runs across the back of the of the cargo box and can be opened from either side or the center with a single hand.



TRANSPORTER

Four for the Price of Two! Transporters are rugged enough for industrial use, yet refined enough for special events and resorts. The Transporter offers a wide range of factory configurations and can be customized with stake side kits, bed boxes, extended canopies, fold-down rear seats and many other options and accessories. They also feature a convenient side fuel fill or efficient, onboard charging.

Need room for more? Get the optional rear seat upgrade to comfortably carry six passengers. It can maneuver in congested environments and narrow trails, making it a great choice for everything from airports to zoos.








JOB 317: EMPLOYEE SHUTTLE.

(Above) It just makes sense to have a few Villager 4 vehicles around. They seat 4 passengers and cost just pennies a day to operate. This makes them ideal for efficiently transporting your employees.



JOB 754: APARTMENT FINDER.

(Below) The most economical people-mover we sell. And with an optional 19 mph (30.6 km/h), it's the easiest way to zip around your complex with prospective customers.






Villager 4

The Perfect Runabout. If you need a small, stylish vehicle to help a couple find their first apartment or car, show a prospective student your campus, or zip around your business, consider the Villager 4. Available in gas or electric, with a optional fold-down rear seat that transforms into a cargo bed, it's ideal for transporting customers, guests and employees. Electric models come with ERIC, a high-frequency, solid-state charging system that boosts efficiency and communicates with users to virtually eliminate operator errors.









A Beautiful, Extra-Large Sedan. The Villager 6 comfortably carries six passengers, making it perfect for moving guests or family groups, giving tours or use as a rental vehicle. It's available in gas with a powerful EFI engine or in quiet, zero-emissions electric models with the IQ Plus™ electric drive system. Both offer flexible passenger and cargo configurations and come with a wide range of options and accessories.

JOB 210: RESORT GUEST SERVICES.





DRIVING SURFACE

IMPROVED

ALL

VEHICLE CAPACITY

EMPTY 1/4 1/2 3/4 1 TON

TOWING CAPACITY

EMPTY 1/4 1/2 3/4 1 TON

The Party Wagon. With limo-like luxury and seating for eight, the Villager 8 is perfect for sophisticated, high-volume transport. It glides right through narrow areas not accessible to conventional vehicles, so you can whisk guests around resorts, malls and other sites in comfort and style. But don't let its good looks fool you. This "people pleaser" is built on a reliable rustproof aluminum frame and engineered to deliver years of dependable service.



JOB 369: DURING HAPPY HOURS

(Above) If you're serious about hosting or catering special events, consider owning a Villager 8. Or, call your local Club Car dealer about renting a few. Your guests will thank you.

JOB 401: EVENTFUL DAYS.


(Left) The Villager 6 is perfect for moving family-size groups. Use them for transporting your guests across your resort property.

WE GIVE YOU LOTS OF AND ACCESSORIES.

Your Vehicle, Your Way. Club Car's Villager and Transporter vehicles accommodate a range of options and accessories designed specifically to fit the new vehicles. And, if accessories alone won't do the trick, our Custom Solutions department will create a unique vehicle just for your application.

	ACCESSORY	TRANSPORTER		VILLAGER 4		VILLAGER 6		VILLAGER 8	
1	Center-Mounted Headlights	ELECTRIC	GAS	ELECTRIC O	GAS O	ELECTRIC	GAS	ELECTRIC	GAS
2	Headlights/Taillights/Horn	S	S	0	0	S	S	S	S
3	Headlights/Taillights/Horn/Turn Signal	0	0	0	0	0	0	0	0
4	Solid Windshield	0	0	_	_	0	0	0	0
	Fold-Down Windshield	0	0			0	0	0	0
	Fold-Down Windshield (Villager 4)	_	_	0	0	_	_	_	_
7	Canopy Top	0	0	_	_	0	0	0	0
8	3-Sided Enclosure	0	0	0	0	0	0	0	0
9	Rearview 5-Panel Mirror	0	0	0	0	0	0	0	0
10	West Coast Mirror	0	0	_	_ =	0	0	0	0
11	Glove Box	0	0	_	_	0	0	0	0
12	Heavy-Duty Brushguard	0	0	_		0	0	0	0
13	Differential Guard	0	0	0	0	0	0	0	0
14	Trailer Hitch	0	0	_		_	_	_	_
15	Canopy-Mounted Safety Strobe	0	0			0	0	0	0
16	Canopy-Mounted Safety Strobe	_	_	0	0	-	_	_	_
17	Post-Mounted Safety Strobe	0	0	J	U				
18	Fold-Down Seat	0	0	0	0	0	0	0	_
				U	U	U	U	U	0
19	Van Box	0	0						
20	Cargo Box	0	0		-				
21	Tool Box (Aluminum Locking)	0	0		-				
22	Hydraulic/Electric Bed Lift	0	0	_	_	_		_	
23	Heavy-Duty Batteries	0	0	S	S	0	0	0	0
24	Onboard Charger With Reel	S	-	_		0		0	
25	Battery Capacity Indicator	S	_	-	-	S		S	===
26	Hour Meter	S		0	-	0		0	
27	Fuel Gauge/Hour Meter	-	S	-	S		S		S
28	12-Volt Power Port	S	S	0	0	0	0	0	0
29	6.5" Premium Tires (Front)	-		= -	-	0	0	0	0
30	Premium Tires (Front/Rear)	S	S	S	S	5	S	S	S
31	Extra-Traction Rear Tires	0	0	0	0	0	0	0	0
32	10-Inch Aluminum Alloy Wheels	-	-	0	0	-			
33	5-Spoke Silver Wheel Covers	0	0	-	-	-			
34	7-Spoke Wheel Covers		-	0	0	S	S	S	S
35	Chrome Sport Wheel Covers	-				0	0	0	0
36	Accent Stripes	-		0	0	0	0	0	0
37	Limited Slip Differential		0			-	0		0
38	Single-Point Watering System	0		0		0		0	
39	International Charger	S		0	-	0	= = =	0	
40	Gas Powertrain Speed Upgrade		- 1		0				
41	Electric Powertrain Speed Upgrade	-	-	0					
42	SmartKey™ Speed Control					0	-= .	0	
43	Ratcheting/Standard Tool Holder Kits	0	0		-	-	=		
44	Backpack Blower Rack	0	0	=	-		-		
45	Multi-Tool Holder Kit	0	0	-	-				=
46	Bed-Mounted Ladder Rack Kit	0	0						-
47	Fuel Pack Kit	0	0	-			EE- 14		
48	Bed//Short Bed Divider Kits	0	0						
49	Standard Colors	S	S	S	S	S	S	S	S
50	Premium Colors	0	0	0	0	0	0	0	0

(S) Standard Equipment (O) Option Equipment (-) Not Available
Not all accessories available in all markets. Check with your local Club Car representative for details and availability.



CHECK OUT THESE

SPECIFICATIONS

BEFORE YOU KICK THE TIRES.





			2 —			
	TRANSF	PORTER	Villager 4			
	ELECTRIC	GASOLINE	ELECTRIC	GASOLINE		
Engine**/Motor Type	48-volt DC	Subaru, 4-cycle	48-volt DC	Kawasaki, 4-cycle		
Controller	500 Amp - Solid State		250 Amp - Solid State	NA NA		
Displacement	_	404 cc	_	351 cc		
Cylinders	_	Single	-	Single		
Valving	_	Overhead Cam	-	OHV		
Cooling	_	Air Cooled	-	Air Cooled		
Horsepower (Rated)	3.7 hp (2.7kW) rated, Peak 20 hp (14.9 kW)	14.0 hp (10.3 kW) rated @ 3600 RPM per SAE J1940	3.3 hp (2.4 kW) rated, Peak 13 hp (9.6 kW)	10.4 hp (7.65 kW) rated @3,600 RPM per SAE J1349		
Max Torque	71 ft-lb (96.2 N-m) rated @ 1450 rpm	19.91 ft lb (27.0 N-m) rated @ 2400 RPM	34.5 ft-lb (46.7 N-m) rated @ 1980 rpm	16.6 ft-lb (22.5 N-m) rated @ 2,500 rpm		
Lubrication	-	Splash Lubrication	=	Pressure Lubrication		
Governor	_	Ground Speed	_	Ground Speed		
Transmission	Direct drive, double reduction helical gear	Continuously Variable Transmission (CVT)	Direct drive, double reduction helical gear	Continuously Variable Transmission (CVT)		
Gear Selection	Forward/Net	utral/Reverse	Forward/Net	utral/Reverse		
Gear Ratio	12.32:1	11.47:1 forward; 15.63:1 reverse	12.32:1	11.8:1 forward, 17.1:1 reverse		
Ignition	_	Electronic	-	Electronic		
Battery	(8) 6-volt Flooded Lead Acid	12-volt 500 CCA 105 min Reserve	(6) 8-volt Flooded Lead Acid	12-volt 500 CCA 105 min Reserve		
Charger	DeltaQ QuiQ (1KW High Frequency)	-	ERIC (650 W High Frequency)	-		
Headlights	(2) 37.5 Wa	att Halogen	Optional Center-Mounted Headlights			
Fuel Delivery System	_	Electronic Fuel Injection (EFI)	-	Carburetor		
Capacity	-	4.6 gal (17.4L)	-	6.7 gal (25.4 L)		
Steering Mechanism	Self-adjusting I	Rack and Pinion	SportDrive™ with self-a	djusting rack and pinion		
Suspension (Front)	Independent leaf spring v	vith dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks			
Suspension (Rear)	Independent leaf spring v	vith dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks			
Brakes	4-wheel, med	chanical drum	Rear-wheel, mechanical drum			
Park Brake	Foot Operate	ed, Multi-lock	Foot Operated, Multi-lock			
Body (Front & Finish)	ArmorFlex with auton	notive paint/clearcoat	Formion®, Molded-in color			
Body (Frame & Rear)	Alum	inum	Formion®, Molded-in color			
Tires (Front)	20 x 10-	10, 6-ply	18 x 8.50-8, 4-ply rated, premium tread			
Tires (Rear)	20 x 10-	10, 6-ply	18 x 8.50-8, 4-ply rated, premium tread			
Wheelbase	99.1 in (2	251.7 cm)	65.5 in (166.4 cm)			
Overall Height	47.1 in (1	119.6 cm)	71 in (180 cm)			
Overall Length	140.2 in (356.1 cm) w/ Bed; 1-	47.5 in (374.7 cm) w/ rear seat	104 in (264.2 cm)			
Bed L x W x H (Cargo Box)	36.2 x 47.5 x 10.5 in ((91.9 x 120 x 26.6 cm)	-			
Ground Clearance (Differential)	5.6 in (14.2 cm)	5.2 in (13.2 cm)	4.5 in (1	1.4 cm)		
Track Width (Front)		92.9 cm)		87.6 cm)		
Track Width (Rear)	39.5 in (1	100.3 cm)	38.6 in (97.8 cm)		
Max Width (w/o Mirrors)	·	127.7cm)		20.1 cm)		
Curb Weight (with Batteries)	1494 (677.6 kg) stakeside; 1505 lbs (684.1 kg) with rear seat	932 lb (422.7 kg) stakeside; 943 lb (427.7 kg) with rear seat	1024 lb (464.5 kg)	768 lb. (348 kg)		
Total Vehicle Capacity	1500 lb (680.3 kg)	800 lb (362.9 kg)			
Bed Load Capacity	300 lb (1	36.0 kg)	-			
Towing Capacity	1500 lb (680.3 kg)				
Combined Gross Vehicle Capacity	1500 lb (680.3 kg)	-			
Seating	4,	/6	4			
Speed	15-17 mph (24-27 km/h)	12-15 mph (19-24 km/h)			
Warranty	4 yr limited battery warranty 3 yr limited powertrain/frame 2 yr limited remaining vehicle	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery warranty 3 yr limited powertrain/frame 2 yr limited remaining vehicle	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle		

^{**} Engine horsepower and torque specifications are provided by the engine manufacturer. Actual horsepower and torque in use may differ and are dependent on environmental conditions as well as maintenance condition of the engine.





Vii	lager 6	Villager 8			
ELECTRIC	GASOLINE	ELECTRIC	GASOLINE		
48-volt DC	Subaru, 4-cycle	48-volt DC	Subaru, 4-cycle		
500 Amp - Solid State	-	500 Amp - Solid State	Subaru, 4-cycle		
	404 cc		404 cc		
_	Single	_	Single		
-	Overhead Cam	_	Overhead Cam		
-	Air Cooled	_	Air Cooled		
3.7 hp (2.7kW) rated, Peak 20 hp (14.9 kW)	14.0 hp (10.3 kW) rated @ 3600 RPM per SAE J1940	3.7 hp (2.7kW) rated, Peak 20 hp (14.9 kW)	14.0 hp (10.3 kW) rated @ 3600 RPM per SAE J1940		
71 ft-lb (96.2 N-m) rated @ 1450 rpm	19.91 ft lb (27.0 N-m) rated @ 2400 RPM	71 ft-lb (96.2 N-m) rated @ 1450 rpm	19.91 ft lb (27.0 N-m) rated @ 2400 RPM		
=	Splash Lubrication	-	Splash Lubrication		
-	Ground Speed	_	Ground Speed		
Direct drive, double reduction helical gear	Continuously Variable Transmission (CVT)	Direct drive, double reduction helical gear	Continuously Variable Transmission (CVT)		
=	Neutral/Reverse	Forward/Neutral/Reverse			
12.32:1	11.47:1 forward; 15.63:1 reverse	12.32:1	11.47:1 forward; 15.63:1 reverse		
-	Electronic	-	Electronic		
(8) 6-volt Flooded Lead Acid	12-volt 500 CCA 105 min Reserve	(8) 6-volt Flooded Lead Acid	12-volt 500 CCA 105 min Reserve		
Automatic, computer controlled	12 Voic 500 Cd. Vios min reserve	Automatic, computer controlled	12 voic 500 cert 105 mm neserve		
48-volt DC, 17 amp, UL and CUL listed	-	48-volt DC, 17 amp, UL and CUL listed	-		
(2) Headi	ights Standard	(2) Headlights Standard			
-	Electronic Fuel Injection (EFI)	-	Electronic Fuel Injection (EFI)		
-	4.6 gal (17.4L)	-	4.6 gal (17.4L)		
*	g Rack and Pinion	Self-adjusting Rack and Pinion			
	g with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks			
	g with dual hydraulic shocks	Independent leaf spring with dual hydraulic shocks			
	nechanical drum	4-wheel, mechanical drum			
· ·	ated, Multi-lock	Foot Operated, Multi-lock ArmorFlex with automotive paint/clearcoat			
	omotive paint/clearcoat				
	omotive paint/clearcoat	ArmorFlex with automotive paint/clearcoat			
	y rated, premium tread	18 x 6.50-8, 6-ply rated, premium tread			
	y rated, premium tread	18 x 6.50-8, 6-ply rated, premium tread			
	(250.2 cm)	131.5 in (334 cm)			
	(121.9 cm)	48 in (121.9 cm)			
124 I	n (315 cm)	157 in (398.8 cm)			
45:	- (11.4)	45: (314)			
	(11.4 cm)	4.5 in (11.4 cm)			
	n (87.6 cm)	34.5 in (87.6 cm)			
	n (97.8 cm)	38.6 in (97.8 cm)			
4/.3 Ir	(120.1 cm)	47.3 In	(120.1 cm)		
1105 lb (502 kg	773 lb (350 kg)	1219 lb (553.6 kg)	894 lb (405 kg)		
1500 II	o (680.3 kg)	1500 lb (680.3 kg)			
	-	- - -			
	-				
	-				
15.17	6 2 (24, 27 km /b)	8 15-17 mph (24-27 km/h)			
4 yr limited battery warranty 3 yr limited powertrain/frame 2 yr limited remaining vehicle	n (24-27 km/h) 3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle	4 yr limited battery warranty 3 yr limited powertrain/frame 2 yr limited remaining vehicle	3 yr/3000 hr limited powertrain/frame 2 yr limited remaining vehicle		







Ingersoll Rand (NYSE:IR) advances the quality of life by creating comfortable, sustainable and efficient environments. Our people and our family of brands—including Club Car®, Ingersoll Rand®, Thermo King® and Trane®—work together to enhance the quality and comfort of air in homes and buildings; transport and protect food and perishables; and increase industrial productivity and efficiency. We are a global business committed to a world of sustainable progress and enduring results.











Visit our website!



Its good to be green!

Club Car, LLC PO Box 204658 Augusta, GA 30917 USA

1.800.ClubCar info@clubcar.com

Club Car ingersollrand.com
Ingersoll Rand
Alma Court Building
Lenneke Marelaan,6
BE-1932 Sint-Stevens-Woluwe
Belgium

+32 2 746 1200 info.eu@clubcar.com

©2014 Club Car LLC. Club Car believes the information and specifications in this piece of literature were correct at the time of printing. Specifications, standard features, options, fabrics and colors are subject to change without notice. Some features may be unavailable when your vehicle is built. Some vehicles are pictured with options that may be available at extra cost or may not be available on some models. Ask your dealer about the availability of options and verify that the vehicle you ordered includes the equipment you ordered. There are no warranties, expressed or implied, contained herein. See the Limited Warranty in the owner's manual or write to: Club Car, PO Box 204658, Augusta, GA 30917. The company reserves the right to make design changes without obligation to make these changes on previously sold units or systems.

CCN 18040050 Rev 02/14